

PRODUCT DATA SHEET ASP CLOUD + vSG

ASP Cloud & vSG allow service providers to deliver fast and secure **user-aware services** to users in your network across multiple locations

ANT labs ASP CLOUD SOLUTION

ANTlabs suite of gateway and cloud solutions has always focused on delivering user-aware services. The fifth-generation suite provides expanding support to ANTlabs gateways (including the virtualized vSG) and other vendor's network devices like routers, gateways and wireless controllers to provide a uniform, consistent experience to the end-users. For IT Management, this means better control and visibility over more aspects of the network service and having the flexibility to customize the user experience according to local conditions.

STANDARD FEATURES

→ Centralized Service Management Platform

- Integration to different network equipment
- WYSIWYG Portal Management / Customizable portal templates
- Multi-language support
- Providing consistent delivery of services and experience
- Pooling & sharing of licenses & modules across entire organization
- Policy Control (vSG/SG5 exclusive)

Service plans

Advanced bandwidth management

Auto-logout of inactive users, forced logout of users

Departed device detection and logout

Bandwidth rate limit: device / account

HTTP / HTTPS / IP walled garden

Email login reminder

Location / VLAN-based content delivery

Unique login pages for separate locations

Admin-assisted login

Easy account generation with account printer

- Zero-touch provisioning
- · Cloud management

→ User-Aware Service Delivery

BYOC (Bring your own content)

Personal Area Network

PMS Integration

Guaranteed streaming bandwidth

• Differentiated High Speed Internet Access

Guest Aware bandwidth optimization through advanced QoS

VIP recognition

· Malicious Content Filtering

Web filtering

Seamless Re-login

Quick re-association to network

Roaming Service

No login across sites

· Zero-configuration on end-user device

→ Gateways/APs Supported

- SG5 Express / SG5 Pro
- vSG Express / Pro
- Cloud Gateway supported AP & other gateway models:
 - > Ruckus
- > Aruba
- > Cisco Meraki
- > Rujie
- > Ubiquiti
- > MikroTik

→ AAA (Authentication)

- Complimentary
- Global roaming
- 802.1x / Hotspot 2.0
- User form authentication
- Social WiFi

Facebook

Twitter

Google

Instagran

Line

WeCha

LinkedIr

Office 365

- QR code & boarding pass PNR integration*
- RADIUS / WISPr

Security and Compliance

- Lawful Intercept
- Terms and Conditions
- General Data Protection Regulation (GDPR) compliant
- User data privacy protection
- Anti-SPAM / Anti-DOS (vSG/SG5)
- Stateful Firewall (vSG/SG5)
- Signature-based web filtering / Category blocking

→ Reliability

- High Availability
- Backup in the Cloud
- Faster service restoration time through seamless transfer of license across equipment

→ Engagement

- Time based banners / Promos
- Notification engine for sending alerts and messages**

→ WiFi Monetization

- WiFi advertising
- Upsell services with different payment methods
- Credit card authentication & billing WorldPay Authorize.net, Payflow Pro, Payflow Link

→ User Identification & onboarding

- Multiple login methods (i.e., Complimentary, Pre-paid, etc.)
- Social media
- Radius / LDAP support
- Property Management System (PMS)
- Registration form

→ Network and User Visibility

Reports

Transactions

Sessions

Authentication

User Analytics

Usage

Device

Demographics

Interests

Summary

Revenue

Authentication

License

Graphs / Trends

System

Network

Login sessions

Deliver fast, secure, user-aware services to your guests with ASP Cloud + vSG

^{*} Inquire for more info

^{** 2022} Roadmap

SPECIFICATIONS / MODULES / ADD-ONS

Recommended VM specifications serve as references for computing resources requirement to host vSG only.

vSG Express VM Requirements	500 Users / 2 WAN	More than 2K Users / 2 WAN (Max 5K Users)
vCPU**	4	4
Memory (GB)**	4*	8
Network Interfaces (vNIC)	5	5
Image Size (GB)	440	440
Storage IOPs	800	800

vSG Pro VM Requirements	2K Users / 4 WAN	10K Users / 8 WAN	More than 10K Users / 8 WAN (Max 30K Users)
vCPU**	8*	23*	32
Memory (GB)**	8*	16	16
Network Interfaces (vNIC)	7	7	7
Image Size (GB)	640	640	640
Storage IOPs	800	1000	1000

^{*} VM administrator will need to manually change the VM setting to the desired value after importing the image.

SG 5 & vSG MODULES / SERVICES / ASP PLATFORM

SG 5 & vSG Modules - Express/Pro	Services	Platform
Payment	Web Filtering	Edge Connector
Property Management System	· Signature-based Web Filtering	ANTlabs Gateways
Volume Control	Malicious Content Filtering	Edge Connector - Others
Radius Support	HSIA-as-a-Service	 ANTlabs Cloud Gateway
Lawful Intercept	Fast deployment of WiFi	Other AP brands*
Advanced QoS	hotspots across multiple	Other gateway brands*
Multi-WAN	locations	Global Accounts
Event Manager	Drag-and-drop portal design &	Cloud Backups
PAN / Casting AQoS Plus Application Traffic Shaping	management • WiFi monetization	

^{**}We recommend vSG run in a host where CPU and RAM is dedicated to the vSG VM. We do not recommend CPU overcommit nor memory overcommit.